



# Hemangeol<sup>®</sup>

(propranolol hydrochloride)  
oral solution 4.28 mg/mL

## HOW DO YOU USE THE HEMANGIOM' APP?

App for better monitoring  
of your child's treatment




1

Download the HEMANGIOM' APP  
via the Q/R code below :



2

Access code : IH2024



HEMANGIOM'APP

### Create an account

Enter the code from the flyer  
provided by your doctor to create  
an account.

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_


Confirm

Hemangeol<sup>®</sup> is a prescription medicine used to treat proliferating infantile hemangioma that requires treatment with a medicine that spreads throughout the body.

#### Important Safety Information for Hemangeol

HEMANGEOL can cause serious side effects, including low blood sugar (hypoglycemia), especially if your child is not taking feedings or is vomiting. The most common side effects include sleep problems, worsening of respiratory tract infections, diarrhea, and vomiting.

You are encouraged to report negative side effects of prescription drugs to the FDA. Visit [www.fda.gov/medwatch](http://www.fda.gov/medwatch) or call 1-800-FDA-1088. Please see Full Prescribing Information and Medication Guide for full safety information at <https://hemangeol.com/wp-content/uploads/2023/01/Prescribing-Information-Hemangeol.pdf>




3

### CREATE YOUR ACCOUNT

Create your username.



Enter information about your child: **name, weight, the dose to be administered and the start date of treatment.**



4


### CREATE YOUR OWN TEAM IF NECESSARY

It will make it easier for you to administer doses when.

Your team can comprise up to **5 members**, with **two administrators** (for example: dad, mom) and the others as «caregivers».

5

You will be asked to activate notifications in order to receive dose reminder alerts.



THERE ARE FIVE ICONS AVAILABLE ON THE NAVIGATION BAR TO MAKE IT EASIER TO USE.



### ON THE HOME PAGE,

you will find an **overview of upcoming doses**, access the **summary of doses given, scheduled medical appointments and contacts for product information**.

#### Upcoming doses

##### IMPORTANT

Only give the treatment during or after a feeding to reduce the risk of hypoglycemia.

[See signs of hypoglycemia](#)

☀️ First dose given at 9:30 AM

Recommended time of next dose:

At least 9 hours between doses. **Before 8 PM or follow your Doctor's recommendations**

🕒 Second dose (≥ 9 hours after first dose)  
Dad

**Hemangeol 4ml**

Propranolol oral solution

Dose not given

Dose given

March 24



See medication report >

## information

Dose given	Start of treatment
4 ml	03 / 05 / 2022
Name	Weight
Clara	10 kg

Update information

Last update: 03 / 19 / 2022



### BY CLICKING ON THE BOTTLE ICON

You can access your **child's information** to complete doses administered.

## Medication report

Monday, Mar 28, 2022

☀️ First dose 9:32 AM

🕒 Second dose -

Sunday, Mar 27, 2022

☀️ First dose No

🕒 Second dose 4:24 PM

Saturday, Mar 26, 2022

☀️ First dose 9:32 AM

🕒 Second dose No

View previous dates

You can enter the **exact time** of each dose.

March 28, 2022

☀️ First dose **Dose not given**

9 : 32 AM

Hour Minute

🕒 Second dose **Dose not given**

4 : 24 PM

Hour Minute


Save

Cancel



## BY CLICKING ON THE CALENDAR ICON,

You will view a **monthly summary** of treatment, with details of the **dose administrator and date**. Each member of the team is assigned a distinct color for monitoring, and a schedule makes it easy to organize.



## Team

Your team can be up to 5 members and include 2 admins. You can upgrade a caregiver by clicking on edit.

**Admin:** Full access to the application settings and treatment management.

**Caregiver:** Access to the Caregiver Guide, medication report, and dose confirmation.

**Dad**

Admin Access

Edit

**Uncle Joe**

Caregiver Access

Edit

**Aunt Anna**

Caregiver Access

Edit

**Grandpa Matthew**

Caregiver Access


Edit

Add a new member +




## THE TEAM'S ICON IS DEDICATED TO MANAGING YOUR TEAM. THIS ICON LINKS TO THE «CAREGIVER»,

You can **assign roles** to each member as administrator.




## THIS ICON TAKES YOU TO «CAREGIVER GUIDE»,

in which you will find all the **important information about Hemangeol**: how to administer it and how to recognize and manage associated with the treatment.





# HEMANGIOM' APP



HQ-03-23-2300037 6S SERIES 00 800




## For **Education and treatment Compliance** when caring for patients on oral treatment for Infantile Hemangioma

Hemangeol® is a prescription medicine used to treat proliferating infantile hemangioma that requires treatment with a medicine that spreads throughout the body.

### Important Safety Information for Hemangeol

HEMANGEOL can cause serious side effects, including low blood sugar (hypoglycemia), especially if your child is not taking feedings or is vomiting. The most common side effects include sleep problems, worsening of respiratory tract infections, diarrhea, and vomiting.

You are encouraged to report negative side effects of prescription drugs to the FDA. Visit [www.fda.gov/medwatch](http://www.fda.gov/medwatch) or call 1-800-FDA-1088. Please see Full Prescribing Information and Medication Guide for full safety information at <https://hemangeol.com/wp-content/uploads/2023/01/Prescribing-Information-Hemangeol.pdf>



Pierre Fabre  
Pharmaceuticals, Inc.